Real time ETA API

Of
Hong Kong and Kowloon Ferry Limited

Data Dictionary

Version History

Version Number	Revision Details	Revision Date
1.0	Initial Version	
1.1	Update API and Examples	15 September 2022
1.2	Update Route API and Examples	22 September 2022

Content

1	Intro	oduction	.4
2	Data	Dictionary	.4
	2.1	Pier	.4
	2.2	Route API	.5
	2.3	Timetable	.8
	2.4	ETA	.8
	2.5	Fare Table	.9

1 Introduction

This is the Data Dictionary of a RESTful API which returns result in JSON/CSV format. The API provides information of Hong Kong and Kowloon Ferry Limited (HKKF) such as pier information, fare table, timetable and estimated arrival time (ETA). This Data Dictionary provides the detail information of the data fields.

2 Data Dictionary

Below is the list of data fields of main tables involved in the API

2.1 Pier

Data Field	Data Type	Description	Definition	Example
type	String	The corresponding API that	The value will	"type": "Pier"
		returns the data.	always be "Pier".	
version	String	The version number of the JSON	The version number	"version": "1.1"
		returned.	in major and minor	
			versioning format.	
generated_timestamp	String	The timestamp of the initial	Date time with time	"generated_timestamp ":
		generated time of the response	zone in ISO 8601	"2021-02-
		before it is cached.	format.	17T11:27:24+08:00"
data	Object	The object that of the data	The object consists	"data":{
		requested.	of the	"pier_id":3,
			following fields:	"name_tc":"榕樹灣渡
			• pier_id	輪碼頭",
			• name_en	"name_en":"Yung

			• name_tc	Shue Wan Pier",
			• name_sc	"name_sc":"榕树湾渡
			• lat	轮码头",
			• long	"lat":22.22652,
				"long":114.109105
				}
pier_id	String	The ID of the pier.		"pier_id":3
name_tc	String	The name of a bus stop, in		"name_tc":"榕樹灣渡輪碼頭"
		Traditional Chinese.		
name_en	String	The name of a bus stop, in		"name_en":"Yung Shue Wan
		English.		Pier"
name_sc	String	The name of a bus stop, in		"name_sc":"榕树湾渡轮码头"
		Simplified Chinese.		
lat	Numeric	Latitude of a pier location.		"lat":22.22652
long	Numeric	Longitude of a pier location.		"long":114.109105

2.2 Route API

Data Field	Data Type	Description	Definition	Example
type	String	The corresponding API that	The value will always	"type": "Route"
		returns the data.	be "Route".	
version	String	The version number of the	The version number	"version": "1.1"
		JSON returned.	in major and minor	
			versioning format.	
generated_timestamp	String	The timestamp of the initial	Date time with time	"generated_timestamp ":

		generated time of the response	zone in ISO 8601	"2021-02-
		before it is cached.	format.	17T11:27:24+08:00"
data	Object	An array of object of the data	The object consists of	"data":
	3	requested. Each object is data of	•	[{
		a route.	following fields:	"route id": "0",
			• route id	"route name en":
			• route name en	"Central<=>Yung Shue
			• route name to	Wan",
			• route name sc	"route_name_tc": "中環往
			origin en	
			• origin tc	"route_name_sc": "中环往
			• origin_sc	
			• destination en	"origin en": "Central",
			• destination_tc	"origin_tc": "中環",
			• destination sc	"origin_sc": "中环",
			_	"destination_en": "Sok
				Kwu Wan",
				"destination_tc": "索罟灣
				"destination_sc": "索罟湾
				}
				1

route_id	String	The ID of the route.	"route_id": "1"
route_name_en	String	The name of the route in English	"route_name_en": "Central<=> Sok Kwu Wan "
route_name_tc	String	The name of the route in Traditional Chinese	"route_name_tc": "中環往來 索罟灣"
route_name_sc	String	The name of the route in Simplified Chinese	"route_name_sc": "中环往来 索罟湾"
origin_en	String	The name of the route origin in English	"origin_en": "Central"
origin_tc	String	The name of the route origin in Traditional Chinese	"origin_tc": "中環"
origin_sc	String	The name of the route origin in Simplified Chinese	"origin_sc": "中环"
destination_en	String	The name of the route destination in English	"destination_en": "Sok Kwu Wan"
destination_tc	String	The name of the route destination in Traditional Chinese	"destination_tc": "索罟灣"
destination_sc	String	The name of the route destination in Traditional Chinese	"destination_sc": "索罟湾"

2.3 Timetable

Data Field	Description	Example
route_id	The ID of the route.	1
direction	The direction of the route.	Inbound
origin_en	The origin of the route in English.	Central
出發碼頭	The origin of the route in Traditional Chinese.	中環
出发码头	The origin of the route in Simplified Chinese.	中环
destination_en	The destination of the route in English.	Sok Kwu Wan
目的地碼頭	The destination of the route in Traditional Chinese.	索罟灣
目的地码头	The destination of the route in Simplified Chinese.	索罟湾
remarks_en	Remark of the timetable in English.	^ Last sailing and no freight service; @ Optional
		Service
附註	Remark of the timetable in Traditional Chinese.	^尾班船及不設載貨服務;@必要時加班服務
附注	Remark of the timetable in Simplified Chinese.	^尾班船及不设载货服务;@必要时加班服务
Monday to Saturday/星	The session time list for Monday to Saturday	["07:20", "08:35", "10:20", "11:50", "13:50",
期一至星期六		"15:20", "16:50", "18:45", "20:20", "21:50",
		"23:30"]
Sunday and Public	The session time list for Sunday and Public	["07:20", "08:35", "10:20", "11:50",
Holidays/星期日及公	Holidays	"12:50","13:50", "14:35","15:20", "16:05", "16:50",
眾假期		"17:35", "18:45", "19:20", "20:20", "21:50",
		"23:30"]

2.4 ETA

Data Field	Data Type	Description	Definition	Example
	~ -			_

type	String	The corresponding API that returns the data.	The value will always be "ETA"	"type": "ETA"
version	String	The version number of the JSON returned	The version number in major and minor versioning format.	"version": "1.1"
generated_timestamp	String	The timestamp of the initial generated time of the response before it is cached.	Date time with time zone in ISO 8601 format.	"ETA":"2022-09- 19T12:49:00+08:00"
data	Object	An array of object of the data requested. Each object is data of the type of eta.	The object consists of the following fields:	"data":[{"route_id":3, "direction":"inbound", "date":"2022-09-19", "session_time":"12:15:00", "ETA":"2022-09- 19T12:49:00+08:00"}]
route_id	String	The ID of the route.		"route_id":3
direction	String	The direction of the route		"direction": "inbound"
date	String	The date of the session		"date":"2022-09-19"
session_time ETA	String String	The session time of the session ETA of the session		"session_time":"12:15:00" "ETA":"2022-09-
				19T12:49:00+08:00"

2.5 Fare Table

type	The ticket type of the ferry service.	Ticket include:
		- monthly_ticket
		- student_monthly_ticket
		- multi_ride_ticket
		- adult
		- adult(fast ferry)
		- child
		- child(fast ferry)
		- elderly
		- elderly(fast ferry)
		- child under 3
		- child under 3 (fast ferry)
Monday to Saturday	The price of the ticket type on Monday to Saturday.	23.1
Sunday and Public	The price of the ticket type on Sunday and Public	32.5
Holidays	Holidays.	